| | |
|---|---|
| **C Number:** | R20263 |
| **Cage Range:** | All |
| **Date Range:** | All |
| **Reasons For Removal:** | All |
| **Removal Date Range:** | All |
| **Treatment Groups:** | All |
| **Study Gender:** | Female |

**Experiment Number:** R20263
**Test Type:** Teratology - Range Finding
**Route:** Oral Gavage - Constant Volume
**Species/Strain:** Rat/Sprague-Dawley

**R10: Fetal Defects**
**Test Compound:** Tris (chloropropyl) phosphate

**Date Report Requested:** 10/28/2015
**Time Report Requested:** 12:35:03
**Lab:** NA

| | | Treatment Groups (mg/kg/day) | | | |
|---|---|---|---|---|---|
| | **Classification** | **0** | **300** | **650** | **1000** |
| Total number of fetuses examined | | 136 | 147 | 83 | 42 |
| | **External** | | | | |
| No. Fetuses examined | | 136 | 147 | 83 | 42 |
| No. Litters examined | | 10 | 11 | 7 | 4 |
| **general** | | | | | |
| Torso, Subcutaneous hemorrhage | Variation | 0 (0.00) * | 0 (0.00) | 2 (2.41) | 1 (2.38) |
| | | 0 (0.00) * | 0 (0.00) | 2 (28.57) | 1 (25.00) |

LEGEND

---

Upper row denotes number of affected fetuses (%) and lower row the number of affected litters (%)
Statistical analysis performed by Cochran-Armitage (trend) and Fisher Exact (pairwise) tests
* Statistically significant at P <= 0.05
** Statistically significant at P <= 0.01
Statistical analysis with litter based adjustments performed by mixed effects logistic regression
# Statistically significant at P <= 0.05 (litter based analysis)
## Statistically significant at P <= 0.01 (litter based analysis)

** END OF REPORT **